

Work Order ID 78954

78954

Page 1

January-17-12 2:51:24 PM

Item ID: D3443-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Strut Weldment Assembly
 Start Date: 17/01/2012 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 31/01/2012 Req'd Qty: 4.00 ***4*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: 12/01/17 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3443	Rev C								

100		0.00							
100	Large Fab								
Large Fab	Memo	0.00							
Large Fab	Weld assembly as per dwg D3443								
									<u>12-3-27</u> <u>(X4)</u>
110	QC9- Inspect visual per QSI004- Fusion Welds	0.00							
110									
QC	Memo	0.00							
Quality Control									<u>4x</u> <u>Ø</u>
120	QC5- Inspect part completeness to step on W/O	0.00							
120									
QC	Memo	0.00							
Quality Control									<u>5263/28</u> <u>(X4)</u>

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78954

Page 2

N900040100

Setup Start *NS1*

Stop *NS2*

4

4

Reference:

Run Start *NR1*

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

**Insp.
Stamp**

0.00

130

Memo

0.00

Powder Coating

1-Mask holes as per dwg D3443 START TIME: 2h35
400°F OVEN TEMPERATURE: 3h05 FINISH
 TIME:

m120222

4 2 (2P) 12/024/03

0.00

140

Memo

0,00

QC

Quality Control

H 124-3

Identify as per dwg & Stock Location: 149

0.00

150

Memo

0.00

Packaging

Packaging

12/4/5 sl (4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78954

January-17-12 2:51:24 PM

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

Start Date: 17/01/2012 **Start Qty:** 4.00

4

Customer:

Required Date: 31/01/2012 Req'd Qty: 4.00

4

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Operation Description

Set Up/ Run Hours

Tool ID	Tool #	Plan Code
---------	--------	-----------

Accept Qty

Reject
QtyReject
Number

**Insp.
Stamp**

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.00

Quality Control

Qty	Number	Stamp
12	14	15

Q12-045

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

January-17-12 2:51:28 PM

Page 1

Work Order ID: 78954

78954

Parent Item: D3443-043

D3443-043

Parent Item Name: Strut Weldment Assembly

Start Date: 17/01/2012

Required Date: 31/01/2012

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV. A 05.11.17 NEW ISSUE EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3443-3		Manufactured	No			100	Each	6.0000	1	4			
D3443-3													
Clevis													

78201 X 4

Location

Loc Qty

Loc Code

WA022

6

73619

6

D3443-7		Manufactured	No			100	Each	14.0000	1	4			
D3443-7													
Tubing													

78204 X 4

Location

Loc Qty

Loc Code

WA023

14

73618

8

73626

6

D3966-4-750		Manufactured	No			100	Each	87.0000	1	4			
D3966-4-750													
Pin, Dowel													

Location

Loc Qty

Loc Code

ST079

87

73566

87

12 - 12-3-26

12 - 12-3-26

12 - 12-3-26

4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
NO POWDER COAT IN HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 1.33 lbs
- 8) WELD PER DART QSI 004

ITEM	QTY -041	P/N	DESCRIPTION
1	X	D3443-041	STRUT WELDMENT ASSEMBLY
2	1	D3443-1	LUG
3	1	D3443-5	TUBING
4	1	D3453-1	CLEVIS
5	1	D3965-4	BEARING, SPHERICAL
6	2	D3966-4-750	PIN, DOWEL

UNCLASSIFIED
SUCCESSION
NO. 78954 M.C.J
12/01/17

RELEASED
9/18/15 M.P.

C	DRAWING UPDATED TO CURRENT STANDARDS. REVISED NOTE #2 (ZN A8-1, A8-2); 0.820 WAS 0.720 & 1.43 WAS 1.53 (ZN C2-3); 0.551 WAS 0.451 (ZN C1-3); R0 219 WAS R0.050 (ZN C4-3); D3965-4 WAS SPAENAUER P/N (ZN C8-1, B5-2); D3966-4-750 WAS McMASTER-CARR P/N (ZN B5-1); REF PAR 09-018	RF	09.06.25
B	ADDED -9 PIN; REMOVED BALL PLUNGER; REVISE TOLERANCE; & Ø0.125 WAS #30	RF	05.12.05
A	NEW ISSUE	RF	05.09.02
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO. D3443	REV. C
MFG. APPR.	RF	TITLE	SHEET 1 OF 4
APPROVED	RF	STRUT WELDMENT ASSEMBLY	SCALE
DE APPR.	RF	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	
DATE	09.06.25		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78954

ITEM	QTY -043	P/N	DESCRIPTION
1	X	D3443-043	STRUT WELDMENT ASSEMBLY
2	1	D3443-3	CLEVIS
3	1	D3443-7	TUBING
4	1	D3966-4-750	PIN



D3443-043

RELEASED
09/06/25

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
NO POWDER COAT IN HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.97 lbs
- 8) WELD PER DART QSI 004

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	CP	DRAWING NO.	REV. C
MFG. APPR.		D3443	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STRUT WELDMENT ASSEMBLY	
DATE	09.06.25	<small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUBJECT TO THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector





Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



78954



SECTION A-A C4-3



D3443-1 LUG




D3443-3 CLEVIS

RELEASED
07/08/25/11P

NOTES:

- 1) MATERIAL: D3443-1 = 17-4 SS PER AMS 5604/5643 (REF DART SPEC M17-4B)
D3443-3 = AISI 304 SS ROUND BAR (REF. DART SPEC M304R)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: D3443-1 = 0.50 lbs
D3443-3 = 0.35 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	UP	DRAWING NO.	REV. C
MFG. APPR.		D3443	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STRUT WELDMENT ASSEMBLY NTS	
DATE	09.06.25	COPYRIGHT © 2005 BY DART AEROSPACE LTD	
THIS DOCUMENT IS UNCLASSIFIED AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78954



D3443-5 TUBING




D3443-9 PIN

D3443-9 NOTES:

- 1) MATERIAL: DELRIN II 150R OR ACETRON GP ACETAL (REF. DART SPEC M-DELRIN-R)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A






D3443-7 TUBING



D3443-5/-7 NOTES:

- 1) MATERIAL: AISI 316/304 SS SEAMLESS TUBING (REF. DART SPEC M304TR0.750W.120)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.025 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: D3443-5 = 0.41 lbs
D3443-7 = 0.62 lbs

RELEASED
01/08/25

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. C
MFG. APPR.		D3443	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STRUT WELDMENT ASSEMBLY NTS	
DATE	09.06.25	COPYRIGHT © 2005 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries